IN THE CLAIMS

All pending claims are reproduced below.

- (Currently Amended) A printer for printing time-based media from a broadcast media feed, the printer comprising:
 - a broadcast media receiver for receiving and outputting the broadcast media feed of time-based media;
 - a content-based processing logic coupled to the broadcast media receiver for monitoring the broadcast media feed of time-based media to detect an occurrence of an event within the broadcast media feed, the content-based processing logic processing the broadcast media feed to generate an electronic representation and a printable representation of the broadcast media feed responsive to detecting the occurrence of the event, the printable representation and the electronic representation including a time of occurrence of the event and a graphical representation of the event;
 - a first output device in communication with the content-based processing logic to receive the electronic representation, the first output device automatically producing a corresponding electronic output from the received electronic representation of the broadcast media feed responsive to detecting the occurrence of the event; and
 - a second output device in communication with the content-based processing logic to receive the printable representation, the second output device automatically producing a corresponding printed output from the received printable

Application No. 10/813.846

representation of the broadcast media feed responsive to the generation of the printable representation.

2-3. (Canceled).

- (Previously Presented) The printer of claim 1, wherein the printed output is generated in a video paper format.
- (Previously Presented) The printer of claim 1, wherein the printed output is generated in an audio paper format.
- (Previously Presented) The printer of claim 1, wherein the electronic representation including the graphical representation of the event comprises an email message.
- 7. (Previously Presented) The printer of claim 1, wherein the corresponding electronic output comprises at least one selected from the group consisting of a network message, audio related to the broadcast media feed, a modified web page comprising information related to the event, and video related to the broadcast media feed.
- (Previously Presented) The printer of claim 7, wherein the network message comprises an email message.
- (Previously Presented) The printer of claim 7, wherein the network message comprises a paging message.
- (Previously Presented) The printer of claim 1, wherein the content-based processing logic is user-programmable to indicate the event to be monitored.

- (Previously Presented) The printer of claim 1, wherein the content-based processing logic is user-programmable to indicate a response to be generated.
- (Previously Presented) The printer of claim 1, wherein the content-based processing logic extracts data from a web page responsive to detecting the occurrence of the event.
- 13. (Previously Presented) The printer of claim 1, wherein the content-based processing logic extracts data from the broadcast media feed responsive to detecting the occurrence of the event.
- (Previously Presented) The printer of claim 13, wherein the content-based processing logic extracts close caption text from the broadcast media feed.
- (Previously Presented) The printer of claim 13, wherein the content-based processing logic extracts key frames from a video feed.
- 16. (Previously Presented) The printer of claim 1, further comprising the content-based processing logic broadcasting a video feed responsive to detecting the occurrence of the event.
- 17. (Previously Presented) The printer of claim 1, further comprising the processing logic broadcasting an audio feed on a speaker responsive to detecting the occurrence of the event.
- 18. (Currently Amended) The printer of claim 1, wherein the <u>broadcast</u> media feed comprises live media feed.

- (Currently Amended) The printer of claim 1, further comprising a media recorder for recording the <u>broadcast</u> media feed.
 - (Canceled)
- (Currently Amended) The printer of claim 1, wherein the event comprises a
 coded signal embedded in the <u>broadcast</u> media feed.
- (Previously Presented) The printer of claim 21, wherein the coded signal corresponds to an emergency alert system (EAS) alert.
- (Previously Presented) The printer of claim 21, wherein the coded signal corresponds to a national weather service (NWS) alert.
- (Previously Presented) The printer of claim 21, wherein the coded signal corresponds to an emergency broadcast system (EBS) alert.
- (Previously Presented) The printer of claim 21, further comprising a decoder for decoding the coded signal.
- (Currently Amended) The printer of claim 21, wherein the coded signal comprises a digital data embedded in the <u>broadcast</u> media feed.
- (Currently Amended) The printer of claim 21, wherein the coded signal comprises a tone sequence embedded in the <u>broadcast</u> media feed.
- 28. (Currently Amended) The printer of claim 1, wherein the event comprises an appearance of an image in the <u>broadcast</u> media feed.

- (Currently Amended) The printer of claim 1, wherein the <u>broadcast</u> media feed comprises an audio stream.
- (Currently Amended) The printer of claim 1, wherein the <u>broadcast</u> media feed comprises a video stream.
- (Currently Amended) A method for printing time-based media from a broadcast media feed, the method comprising:

receiving the broadcast media feed of time-based media;

monitoring the broadcast media feed of time-based media to detect an occurrence of an event within the broadcast media feed;

processing the broadcast media feed to generate an electronic representation of the broadcast media feed and a printable representation of the broadcast media feed responsive to detecting the occurrence of the event, the printable representation and the electronic representation including a time-of-occurrence-of-the-event-and-agraphical-representation of the event;

responsive to detecting the occurrence of the event, automatically generating a corresponding electronic output from the electronic representation of the broadcast media feed; and

- responsive to the generation of the printable representation, automatically generating a corresponding printed output from the printable representation of the broadcast media feed.
- (Canceled).
- (Currently Amended) The method of claim 31 further comprising generating an email message from the electronic representation of the broadcast media feed.

- 34. (Previously Presented) The method of claim 31 further comprising generating a network message responsive to detecting the occurrence of the event.
- (Original) The method of claim 31 further comprising defining the event to be monitored.
- (Previously Presented) The method of claim 31 further comprising extracting data from a web page responsive to detecting the occurrence of the event.
- (Currently Amended) The method of claim 31, wherein processing the <u>broadcast</u>
 media feed comprises extracting close caption text from the media feed.
- (Currently Amended) The method of claim 31, wherein processing the <u>broadcast</u> media feed comprises extracting key frames from a video feed.
- (Previously Presented) The method of claim 31 further comprising broadcasting a video feed responsive to detecting the occurrence of the event.
- 40. (Previously Presented) The method of claim 31 further comprising broadcasting an audio feed responsive to detecting the occurrence of the event.
- (Previously Presented) The method of claim 31 further comprising further comprising decoding a coded signal in the broadcast media feed.
- 42. (Previously Presented) The printer of claim 1, wherein the media receiver comprises a receiving means selected from a group of an antenna, a satellite dish, and a cable line.

| adapted to receive media signals at multiple frequencies simultaneously. | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

(Previously Presented) The printer of claim 1, wherein the media receiver is

43.